


**GRUPA PROJEKTOWO
PRODUKCYJNO HANDLOWA**



GPPH PRODUCTS



/GPPH.Mielec



+48 795-022-322



info@GPPH.pl



www.GPPH.pl

TWT PRO

- perfect flatness of the table
- calibrated holes
- produced with standard ISO 2768-1
- three grids of holes on the sidewalls
- worktop's thickness 15mm
- chamfered and milled holes
- milled edges
- table legs made of profile 100x100mm
- carry capacity: 700kg/leg
- 10 dimensional versions

AVAILABLE SIZES:

3000x1480mm, 2400x1200mm, 2000x1000mm,
1500x1480mm, 1500x1000mm, 1200x1200mm,
1200x1000mm, 1200x800mm, 1000x1000mm,
1000x600mm.



TWT PLUS

- perfect flatness of the table
- calibrated holes
- produced with standard ISO 2768-1
- three grids of holes on the sidewalls
- worktop's thickness 12mm
- chamfered and milled holes
- table legs made of profile 80x80mm
- carry capacity: 500kg/leg
- 10 dimensional versions

AVAILABLE SIZES:

3000x1480mm, 2400x1200mm, 2000x1000mm,
1500x1480mm, 1500x1000mm, 1200x1200mm,
1200x1000mm, 1200x800mm, 1000x1000mm,
1000x600mm.




TWT ECO

- perfect flatness of the table
- calibrated holes
- produced with standard ISO 2768-1
- three grids of holes on the sidewalls
- worktop's thickness 8mm
- table legs made of profile 60x60mm
- carry capacity 250kg/leg
- 10 dimensional versions

AVAILABLE SIZES:

3000x1480mm, 2400x1200mm, 2000x1000mm,
1500x1480mm, 1500x1000mm, 1200x1200mm,
1200x1000mm, 1200x800mm, 1000x1000mm,
1000x600mm.





**GRUPA
PROJEKTOWO
PRODUKCYJNO
HANDLOWA**

PRO



TWT.PRO.300148

length x width: 3000x1480mm capacity: 5 600 kg
side plate: 200mm number of legs: 8
table weight: approx. 980 kg



TWT.PRO.240120

length x width: 2400x1200mm capacity: 4 200 kg
side plate: 200mm number of legs: 6
table weight: approx. 630 kg



TWT.PRO.200100

length x width: 2000x1000mm capacity: 2 800 kg
side plate: 200mm number of legs: 4
table weight: approx. 460 kg



TWT.PRO.150148

length x width: 1500x1480mm capacity: 2 800 kg
side plate: 200mm number of legs: 4
table weight: approx. 460 kg



TWT.PRO.150100

length x width: 1500x1000mm capacity: 2 800 kg
side plate: 200mm number of legs: 4
table weight: approx. 370 kg




TWT.PRO.120120

length x width: 1200x1200mm capacity: 2 800 kg
side plate: 200mm number of legs: 4
table weight: approx. 350 kg



TWT.PRO.120100

length x width: 1200x1000mm capacity: 2 800 kg
side plate: 200mm number of legs: 4
table weight: approx. 320 kg



TWT.PRO.12080

length x width: 1200x800mm capacity: 2 800 kg
side plate: 200mm number of legs: 4
table weight: approx. 270 kg



TWT.PRO.100100

length x width: 1000x1000mm capacity: 2 800 kg
side plate: 200mm number of legs: 4
table weight: approx. 280 kg



TWT.PRO.10060

length x width: 1000x600mm capacity: 2 800 kg
side plate: 200mm number of legs: 4
table weight: approx. 210 kg



TWT.PLUS.300148

length x width: 3000x1480mm capacity: 4 000 kg
side plate: 200mm number of legs: 8
table weight: approx. 780 kg



TWT.PLUS.240120

length x width: 2400x1200mm capacity: 3 000 kg
side plate: 200mm number of legs: 6
table weight: approx. 510 kg



TWT.PLUS.200100

length x width: 2000x1000mm capacity: 2 000 kg
side plate: 200mm number of legs: 4
table weight: approx. 370 kg



TWT.PLUS.150148

length x width: 1500x1480mm capacity: 2 000 kg
side plate: 200mm number of legs: 4
table weight: approx. 390 kg



TWT.PLUS.150100

length x width: 1500x1000mm capacity: 2 000 kg
side plate: 200mm number of legs: 4
table weight: approx. 300 kg



TWT.PLUS.120120

length x width: 1200x1200mm capacity: 2 000 kg
side plate: 200mm number of legs: 4
table weight: approx. 280 kg



TWT.PLUS.120100

length x width: 1200x1000mm capacity: 2 000 kg
side plate: 200mm number of legs: 4
table weight: approx. 260 kg




TWT.PLUS.12080

length x width: 1200x800mm capacity: 2 000 kg
side plate: 200mm number of legs: 4
table weight: approx. 220 kg



TWT.PLUS.100100

length x width: 1000x1000mm capacity: 2 000 kg
side plate: 200mm number of legs: 4
table weight: approx. 230 kg



TWT.PLUS.10060

length x width: 1000x600mm capacity: 2 000 kg
side plate: 200mm number of legs: 4
table weight: approx. 170 kg



TWT.ECO.300148

length x width: 3000x1480mm capacity: 2 000 kg
side plate: 200mm number of legs: 8
table weight: approx. 530 kg



TWT.ECO.240120

length x width: 2400x1200mm capacity: 1 500 kg
side plate: 200mm number of legs: 6
table weight: approx. 340 kg



TWT.ECO.200100

length x width: 2000x1000mm capacity: 1 000 kg
side plate: 200mm number of legs: 4
table weight: approx. 250 kg



TWT.ECO.150148

length x width: 1500x1480mm capacity: 1 000 kg
side plate: 200mm number of legs: 4
table weight: approx. 270 kg



TWT.ECO.150100

length x width: 1500x1000mm capacity: 1 000 kg
side plate: 200mm number of legs: 4
table weight: approx. 200 kg



TWT.ECO.120120

length x width: 1200x1200mm capacity: 1 000 kg
side plate: 200mm number of legs: 4
table weight: approx. 190 kg



TWT.ECO.120100

length x width: 1200x1000mm capacity: 1 000 kg
side plate: 200mm number of legs: 4
table weight: approx. 170 kg



TWT.ECO.12080

length x width: 1200x800mm capacity: 1 000 kg
side plate: 200mm number of legs: 4
table weight: approx. 140 kg



TWT.ECO.100100

length x width: 1000x1000mm capacity: 1 000 kg
side plate: 200mm number of legs: 4
table weight: approx. 150 kg




TWT.ECO.10060

length x width: 1000x600mm capacity: 1 000 kg
side plate: 200mm number of legs: 4
table weight: approx. 110 kg



**GRUPA
PROJEKTOWO
PRODUKCYJNO
HANDLOWA**

MODULAR WELDING TABLES



SINGLE TABLE

DIMENSIONS

Table 1000x1000 [mm]

Table 1200x1200 [mm]

Table 1600x1500 [mm]




UNFOLDABLE SINGLE TABLE

DIMENSIONS

Table 1770x1000 [mm] (Table 1000x1000mm + 5x legs)

Table 2170x1200 [mm] (Table 1200x1200mm + 6x legs)

Table 2670x1600 [mm] (Table 1500x1600mm + 8x legs)



DOUBLE TABLE

DIMENSIONS

Table 2000x1000 [mm] (2x Tables 1000x1000)

Table 2400x1200 [mm] (2x Tables 1200x1200)

Table 3200x1500 [mm] (2x Tables 1600x1500)



KIT WITH A LARGE WORKING SURFACE

DIMENSIONS


Table 1770x2630 [mm] (2x Tables 1000x1000 + 2x connector L=630 mm + 10x legs)

Table 2170x3030 [mm] (2x Tables 1200x1200 + 2x connector L=630 mm + 12x legs)

























Table 2670x4000 [mm] (2x Tables 1500x1600 + 2x connector L=630 mm + 16x legs)

TECHNICAL PARAMETERS














- Stable construction
- The highest quality of workmanship
- Perfect flatness of the table due to the ability to adjust the surface in three places
- Hole and slot possibility of tools installation
- Worktop made of S355J2+N
- Thickness 15mm
- Holes of system $\varnothing 16$ or $\varnothing 28$ in the grid 100x100
- Chamfered and milled holes for easy tool assembly
- Wheels with supports in standard leg
- Adjustable supports in additional legs, in staggered versions
- Adjustable table height in the range of 850mm – 1150mm, P=50mm
- Tables can be combined freely to extend a working surface
- Milled plate surface
- Set of side plates purchase option
- Produced with standard ISO 2768-1
- Capacity: 250kg/leg
- Tools from the PRO, PLUS, and ECO lines are also compatible with GPPH Modular Tables



Number of jigs & fixtures included in the kit: 146



















PRO	PLUS	ECO
<p>10x  FASTENING CLAMP N.001A</p>	<p>10x  FASTENING CLAMP WITH LEVER N.001B</p>	<p>5x  VARIABLE THROAT DEPTH CLAMP N.001C</p>
<p>5x  VARIABLE THROAT DEPTH WITH LEVER CLAMP N.001D</p>	<p>40x  FAST ASSEMBLY BOLT N.002PRO/PLUS/ECO</p>	<p>8x  ECCENTRIC STOP Ø100 N.003PRO/PLUS/ECO</p>
<p>8x  STOP 150 N.004PRO/PLUS/ECO</p>	<p>4x  STOP 225 N.005PRO/PLUS/ECO</p>	<p>4x  STOP 500 N.007PRO/PLUS/ECO</p>
<p>2x  PROTRACTOR N.008PRO/PLUS/ECO</p>	<p>4x  ANGLE PRECISION SQUARE (FLAT) 320X150 N.010PRO/PLUS/ECO</p>	<p>2x  ANGLE PRECISION SQUARE (FLAT) 350X250 N.011PRO/PLUS/ECO</p>
<p>8x  ANGLE BRACKET 185X175 N.012PRO/PLUS/ECO</p>	<p>2x  ANGLE BRACKET 200X200 N.013PRO/PLUS/ECO</p>	<p>4x  ANGLE BRACKET 300X190 N.014PRO/PLUS/ECO</p>
<p>4x  ANGLE BRACKET 450X250 N.015PRO/PLUS/ECO</p>	<p>2x  ANGLE BRACKET 270X500X175X100 N.016PRO/PLUS/ECO</p>	<p>2x  TABLE EXTENSION 1000X100 N.017PRO/PLUS/ECO</p>
<p>2x  TABLE EXTENSION 1000X200 N.018PRO/PLUS/ECO</p>	<p>1x  WELDING TORCH HANDLE N.020</p>	<p>10x  PRISM Ø58MM 130° N.021</p>
<p>2x  FAST ASSEMBLY BOLT SHELF M T.011B</p>	<p>2x  CLAMP SHELF M T.011D</p>	<p>2x  FLATSHELF M T.011F</p>
<p>1x  MIX SHELF T.011H</p>	<p>1x  DOCUMENTATION SHELF T.011I</p>	<p>1x  TOOL TROLLEY M / TOOL TROLLEY L (OPTIONS) T.012B / T.012A</p>

Number of jigs & fixtures included in the kit: 96

PRO	PLUS	ECO
<p>8x  FASTENING CLAMP N.001A</p>	<p>4x  FASTENING CLAMP WITH LEVER N.001B</p>	<p>2x  VARIABLE THROAT DEPTH CLAMP N.001C</p>
<p>2x  VARIABLE THROAT DEPTH WITH LEVER CLAMP N.001D</p>	<p>30x  FAST ASSEMBLY BOLT N.002PRO/PLUS/ECOO</p>	<p>6x  ECCENTRIC STOP Ø100 N.003PRO/PLUS/ECO</p>
<p>6x  STOP 150 N.004PRO/PLUS/ECO</p>	<p>4x  STOP 225 N.005PRO/PLUS/ECORO</p>	<p>2x  STOP 500 N.007PRO/PLUS/ECO</p>
<p>1x  PROTRACTOR N.008PRO/PLUS/ECO</p>	<p>4x  ANGLE PRECISION SQUARE (FLAT) 320X150 N.010PRO/PLUS/ECO</p>	<p>2x  ANGLE PRECISION SQUARE (FLAT) 350X250 N.011PRO/PLUS/ECO</p>
<p>4x  ANGLE BRACKET 185X175 N.012PRO/PLUS/ECO</p>	<p>2x  ANGLE BRACKET 200X200 N.013PRO/PLUS/ECO</p>	<p>2x  ANGLE BRACKET 300X190 N.014PRO/PLUS/ECOO</p>
<p>2x  ANGLE BRACKET 450X250 N.015PRO/PLUS/ECO</p>	<p>1x  TABLE EXTENSION 1000X100 N.017PRO/PLUS/ECO</p>	<p>1x  TABLE EXTENSION 1000X200 N.018PRO/PLUS/ECO</p>
<p>4x  PRISM Ø58MM 130°/90° N.023</p>	<p>2x  FAST ASSEMBLY BOLT SHELF M T.011B</p>	<p>2x  CLAMP SHELF M T.011D</p>
<p>2x  FLATSHELF M T.011F</p>	<p>1x  WELDING TORCH HANDLE N.020</p>	<p>1x  MIX SHELF T.011H</p>
	<p>1x  TOOL TROLLEY M / TOOL TROLLEY L (OPTIONS) T.012AB / T.012A</p>	

TOOLKIT NO. 3

Number of jigs & fixtures included in the kit: 60

PRO	PLUS	ECO
<p>8x  FASTENING CLAMP N.001A</p>	<p>2x  FASTENING CLAMP WITH LEVER</p>	<p>18x  FAST ASSEMBLY BOLT N.002PRO/PLUS/ECO</p>
<p>4x  ECCENTRIC STOP Ø100 N.003PRO/PLUS/ECO</p>	<p>4x  STOP 150 N.004PRO/PLUS/ECO</p>	<p>4x  STOP 225 N.005PRO/PLUS/ECO</p>
<p>1x  PROTRACTOR N.008PRO/PLUS/ECO</p>	<p>2x  ANGLE PRECISION SQUARE (FLAT) 320X150 N.010PRO/PLUS/ECO</p>	<p>2x  ANGLE PRECISION SQUARE (FLAT) 350X250 N.011PRO/PLUS/ECO</p>
<p>4x  ANGLE BRACKET 185X175 N.012PRO/PLUS/ECO</p>	<p>2x  ANGLE BRACKET 200X200 N.013PRO/PLUS/ECO</p>	<p>2x  ANGLE BRACKET 300X190 N.014PRO/PLUS/ECO</p>
<p>1x  ANGLE BRACKET 450X250 N.015PRO/PLUS/ECO</p>	<p>2x  PRISM Ø58MM 130°/90° N.023</p>	<p>1x  FAST ASSEMBLY BOLT SHELF M T.011B</p>
<p>1x  CLAMP SHELF M T.011D</p>	<p>1x  WELDING TORCH HANDLE N.020</p>	<p>1x  FLATSHELF M T.011F</p>

TOOLKIT NO. 4


Number of jigs & fixtures included in the kit: 28

PRO	PLUS	ECO
<p>4x  FASTENING CLAMP N.001A</p>	<p>10x  FAST ASSEMBLY BOLT N.002PRO/PLUS/ECO</p>	<p>2x  STOP 225 N.005PRO/PLUS/ECO</p>
<p>2x  ECCENTRIC STOP Ø100 N.003PRO/PLUS/ECO</p>	<p>2x  STOP 150 N.004PRO/PLUS/ECO</p>	<p>2x  ANGLE PRECISION SQUARE (FLAT) 320X150 N.010PRO/PLUS/ECO</p>
<p>2x  ANGLE PRECISION SQUARE (FLAT) 275X150 N.009PRO/PLUS/ECO</p>	<p>2x  ANGLE BRACKET 185X175 N.012PRO/PLUS/ECO</p>	<p>1x  WELDING TORCH HANDLE N.020</p>
	<p>1x  FAST ASSEMBLY BOLT SHELF S T.011A</p>	

TOOLING PRO

TOOLING PLUS


TOOLING ECO




STOP PRO 150
N.004PRO | Cat. No.




STOP PLUS 150
N.004PLUS | Cat. No.




STOP ECO 150
N.004ECO | Cat. No.




STOP PRO 225
N.005PRO | Cat. No.




STOP PLUS 225
N.005PLUS | Cat. No.




STOP ECO 225
N.005ECO | Cat. No.




STOP PRO 260
N.006PRO | Cat. No.



STOP PLUS 260
N.006PLUS | Cat. No.



STOP ECO 260
N.006ECO | Cat. No.




STOP PRO 500
N.007PRO | Cat. No.



STOP PLUS 500
N.007PLUS | Cat. No.




STOP ECO 500
N.007ECO | Cat. No.




PROTRACTOR PRO
N.008PRO | Cat. No.




PROTRACTOR PLUS
N.008PLUS | Cat. No.



PROTRACTOR ECO
N.008ECO | Cat. No.




**ANGLE PRECISION
SQUARE (FLAT)
PRO 275X150**
N.009PRO | Cat. No.



**ANGLE PRECISION
SQUARE (FLAT)
PLUS 275X150**
N.009PLUS | Cat. No.



**ANGLE PRECISION
SQUARE (FLAT)
ECO 275X150**
N.009ECO | Cat. No.




**ANGLE PRECISION
SQUARE (FLAT)
PRO 320X150**
N.010PRO | Cat. No.



**ANGLE PRECISION
SQUARE (FLAT)
PLUS 320X150**
N.010PLUS | Cat. No.



**ANGLE PRECISION
SQUARE (FLAT)
ECO 320X150**
N.010ECO | Cat. No.



**ANGLE PRECISION
SQUARE (FLAT)
PRO 350X250**
N.011PRO | Cat. No.



**ANGLE PRECISION
SQUARE (FLAT)
PLUS 350X250**
N.011PLUS | Cat. No.



**ANGLE PRECISION
SQUARE (FLAT)
ECO 350X250**
N.011ECO | Cat. No.



**ECCENTRIC STOP
PRO Ø100**
N.003PRO | Cat. No.



**ECCENTRIC STOP
PLUS Ø100**
N.003PLUS | Cat. No.



**ECCENTRIC STOP
ECO Ø100**
N.003ECO | Cat. No.



**ANGLE BRACKET
PRO 185X175**
N.012PRO | Cat. No.



**ANGLE BRACKET
PLUS 185X175**
N.012PLUS | Cat. No.



**ANGLE BRACKET
ECO 185X175**
N.012ECO | Cat. No.



**ANGLE BRACKET
PRO 200X200**
N.0013PRO | Cat. No.



**ANGLE BRACKET
PLUS 200X200**
N.013PLUS | Cat. No.



**ANGLE BRACKET
200X200**
N.013ECO | Cat. No.

TOOLING PRO

TOOLING PLUS

TOOLING ECO



ANGLE BRACKET
PRO 300X190
N.014PRO | Cat. No.



ANGLE BRACKET
PLUS 300X190
N.014PLUS | Cat. No.




ANGLE BRACKET
ECO 300X190
N.014ECO | Cat. No.



ANGLE BRACKET
PRO 450X250
N.015PRO | Cat. No.



ANGLE BRACKET
PLUS 450X250
N.015PLUS | Cat. No.



ANGLE BRACKET
ECO 450X250
N.015ECO | Cat. No.



ANGLE BRACKET PRO
275X500X175X100
N.016PRO | Cat. No.



ANGLE BRACKET PLUS
275X500X175X100
N.016PLUS | Cat. No.




ANGLE BRACKET ECO
275X500X175X100
N.016ECO | Cat. No.



MOUNTING PIN PRO
T.015PRO | Cat. No.



MOUNTING PIN PLUS
T.015PLUS | Cat. No.



MOUNTING PIN ECO
T.015ECO | Cat. No.



FAST ASSEMBLY
BOLT 30 PRO
N.002PRO | Cat. No.



FAST ASSEMBLY
BOLT 23 PLUS
N.002PLUS | Cat. No.



FAST ASSEMBLY
BOLT ECO
N.002ECO | Cat. No.



FAST ASSEMBLY
BOLT UNI
N.002UNI | Cat. No.



FAST ASSEMBLY
BOLT UNI
N.002UNI | Cat. No.



FAST ASSEMBLY
BOLT UNI
N.002UNI | Cat. No.




TABLE EXTENSION PRO
1000X100
N.017PRO | Cat. No.




TABLE EXTENSION PLUS
1000X100
N.017PLUS | Cat. No.



TABLE EXTENSION ECO
1000X100
N.017ECO | Cat. No.




TABLE EXTENSION PRO
1000X200
N.018PRO | Cat. No.



TABLE EXTENSION PLUS
1000X200
N.018PLUS | Cat. No.



TABLE EXTENSION ECO
1000X200
N.018ECO | Cat. No.



WELDING CONNECTION
BLOCK PRO 1000X200X200
N.019PRO | Cat. No.



WELDING CONNECTION
BLOCK PLUS 1000X200X200
N.019PLUS | Cat. No.



WELDING CONNECTION
BLOCK ECO 1000X200X200
N.019ECO | Cat. No.



LEG ON WHEEL PRO
T.010PRO | Cat. No.




































LEG ON WHEEL PLUS
T.010PLUS | Cat. No.



LEG ON WHEEL ECO
T.010ECO | Cat. No.

ADDITIONAL EQUIPMENT

 <p>FASTENING CLAMP N.001A Cat. No.</p>	 <p>FASTENING CLAMP WITH LEVER N.001B Cat. No.</p>	 <p>PRISM Ø58mm 130°/ 90° N.023 Cat. No.</p>
 <p>VARIABLE THROAT DEPTH CLAMP N.001C Cat. No.</p>	 <p>VARIABLE THROAT DEPTH WITH LEVER CLAMP N.001D Cat. No.</p>	 <p>PRISM Ø58mm 90° N.022 Cat. No.</p>
 <p>FASTENING CLAMP N.001E Cat. No.</p>	 <p>FASTENING CLAMP WITH LEVER N.001F Cat. No.</p>	 <p>WELDING TORCH HANDLE N.020 Cat. No.</p>
 <p>BESSEY SCREW CLAMP (WORKING RANGE 200MM) N.001G Cat. No.</p>	 <p>BESSEY SCREW CLAMP (WORKING RANGE 300MM) N.001H Cat. No.</p>	 <p>FAST ASSEMBLY BOLT SHELF S T.011A Cat. No.</p>
 <p>BESSEY SCREW CLAMP (WORKING RANGE 600MM) N.001I Cat. No.</p>	 <p>BESSEY LEVER CLAMP (WORKING RANGE 200MM) N.001J Cat. No.</p>	 <p>FAST ASSEMBLY BOLT SHELF M T.011B Cat. No.</p>
 <p>BESSEY LEVER CLAMP (WORKING RANGE 300MM) N.001K Cat. No.</p>	 <p>BESSEY HIGH-PERFORMANCE SCREW CLAMP (WORKING RANGE 300MM) N.001L Cat. No.</p>	 <p>CLAMP SHELF S T.011C Cat. No.</p>
 <p>BESSEY HIGH-PERFORMANCE SCREW CLAMP (WORKING RANGE 500MM) N.001M Cat. No.</p>	 <p>BESSEY CLAMPING ELEMENT FOR WELDING TABLES WITH SPECIALS PRESSURE PLATE N.001N Cat. No.</p>	 <p>CLAMP SHELF M T.011D Cat. No.</p>
 <p>BESSEY CLAMPING ELEMENT FOR WELDING TABLES WITH GRIPPING ARM N.001O Cat. No.</p>	 <p>VERTICAL CLAMP WITH OPEN ARM 330/A N.001P Cat. No.</p>	 <p>FLAT SHELF S T.011E Cat. No.</p>
 <p>VERTICAL CLAMP WITH OPEN ARM 230/A N.001R Cat. No.</p>	 <p>BESSEY TILTING ADAPTER N.001S Cat. No.</p>	 <p>FLAT SHELF M T.011F Cat. No.</p>
 <p>BESSEY WELDING ANGLE CLAMP (WORKING RANGE 2X90MM) N.024A Cat. No.</p>	 <p>BESSEY WELDING ANGLE CLAMP (WORKING RANGE 2X120MM) N.024B Cat. No.</p>	 <p>FLAT SHELF L T.011G Cat. No.</p>
 <p>BESSEY WELDING CLAMP SET N.024C Cat. No.</p>	 <p>PRISM Ø58mm 130° N.021 Cat. No.</p>	 <p>MOBILE SHELF FOR EXTENSIONS T.011J Cat. No.</p>

