

bester[®]
by Lincoln Electric

**NEW
SYNERGY**

BesterMIG 200-S

EASY SETTING FOR PERFECT WELDING

www.lincolnelectric.eu

LINCOLN[®]
ELECTRIC

NEW

SYNERGY

EASY SETTING FOR PERFECT WELDING

The All New BesterMIG 200-S power source will shift your perception of welding to a higher level. Synergy is an innovative technology based on automatic selection of welding parameters.

- Forget about choosing the right welding current, wire feed or material thickness settings, synergy does it for you, ensuring perfect welds.
- Synergy minimises the risk of welding defect, guaranteeing superb weld quality and low cost implications.
- Weld seamlessly – automatic adjustment of parameters saves weld time and increases efficiencies.



BESTERMIG 200-S

- Multiprocess, portable, compact welder: MIG/MAG, FCAW, MMA and TIG Lift.
- Equipped with SYNERGY based on automatic selection of welding parameters
- Perfect solution for hobbyists and DIY-enthusiasts – makes welding faster and more efficient
- Built-in Arc Force and Anti Sticking devices – improving arc starting and stability, for better weld quality
- Bright digital display
- Generator ready
- Easy polarity change



LOW WEIGHT
11.7 kg



BESTERMIG 200-S


PACKAGE INCLUDES



Input



Output




MIG GUN, EURO
3m
150A@35%
[200A@20%]



WELDING CABLE WITH ELECTRODE HOLDER
3m



2 ROLLS
0.6/0.8 and 0.8/0.1mm
(Ø 30mm for solid wire)



INSTRUCTION MANUAL
on USB



GROUND CABLE WITH CLAMP
3m



GAS HOSE
2m

CE EN 60974-4, EN 60974-5, EN 60974-10
UK BS EN 60974-1, BS 60974-5, BS EN 60974-10
CA



GMAW



Gas
CO₂/MIX



Fe Ø 0.6/0.8/1.0mm



MMA



Rutile: Bester 6012, Bester 6013
Basic: Bester 7018
Ø 2.5/3.2/4mm



TIG LIFT



Tungsten electrodes
WL 15, WL20
Ø 1.0/1.6/2.0mm

SPECIFICATIONS

Product	Item number	Primary power supply	Fuse	Rated output [A]			Welding current range [A]	Feeder type and feeding speed (m/min)	Weight (kg)	Dimensions LxWxH (mm)	Protection class
				100%	60%	10%					
BesterMIG 200-S	B18264-1	230V+/-15%/1-Ph/50/60 Hz	16A	64	82	200	30-200	2R/ 2-13	11.7	480x220x305	IP21S

Product	Processes			Display Screen	Types of welding wires		Feed drive rolls	Max. spool size
	MIG/MAG	MMA	TIG Lift		Solid	Self-shielding		
BesterMIG 200-S	•	•	•	LCD	0.6 - 1.0	0.8 - 1.0	2R (ø 30 mm)	ø 200 mm - 5 kg

ACCESSORIES

W10429-15-3M	LG52 150 Guns MIG/MAG - 3m
W000010786	Gas nozzle conical Ø12mm
W000010820	Contact Tip M6x25mm ECu 0.6mm
W000010821	Contact Tip M6x25mm ECu 0.8mm
WP10440-09	Contact Tip M6x25mm ECu 0.9mm
W000010822	Contact Tip M6x25mm ECu 1.0mm
WP10440-08A	Contact Tip M6x25mm ALU 0.8mm
WP10440-10A	Contact Tip M6x25mm ALU 1.0mm
WP10468	Protection cap for FCAW-SS welding
WP10419-3M	PTFE liner for Aluminium wire (MIG Gun)

TIG/MMA GUNS

W10529-17-4V	TIG Gun WTT2 17- 4m with valve
B18262-1	Welding cable with electrode holder - 3m

ROLL KIT FOR SOLID WIRE

S33444-20	Roll V0.6 / V0.8
S33444-21	Roll V0.8 / V1.0 (Installed in standard)

ROLL KIT FOR ALUMINIUM WIRE

S33444-22	Roll U0.8 / U1.0
-----------	------------------

ROLL KIT FOR CORED WIRE

S33444-23	Roll VK0.9 / VK1.1
-----------	--------------------



DOWNLOAD THE MANUAL

CUSTOMER ASSISTANCE POLICY

The business of The Lincoln Electric Company® is manufacturing and selling high quality welding equipment, consumables, and cutting equipment. Our challenge is to meet the needs of our customers and to exceed their expectations. On occasion, purchasers may ask Lincoln Electric for information or advice about their use of our products. Our employees respond to enquiries to the best of their ability based on information provided to them by the customers and the knowledge they may have concerning the application. Our employees, however, are not in a position to verify the information provided or to evaluate the engineering requirements for the particular weldment. Accordingly, Lincoln Electric does not warrant or guarantee or assume any liability with respect to such information or advice. Moreover, the provision of such information or advice does not create, expand, or alter any warranty on our products. Any express or implied warranty that might arise from the information or advice, including any implied warranty of merchantability or any warranty of fitness for any customers' particular purpose is specifically disclaimed.

Lincoln Electric is a responsive manufacturer, but the selection and use of specific products sold by Lincoln Electric is solely within the control of, and remains the sole responsibility of the customer. Many variables beyond the control of Lincoln Electric affect the results obtained in applying these types of fabrication methods and service requirements.

Subject to Change – This information is accurate to the best of our knowledge at the time of printing. Please refer to www.lincolnelectric.eu for any updated information.



www.lincolnelectric.eu

LINCOLN
ELECTRIC